



Since 1989

Corbett[®]

as individual & important as you



Corbett[®]
DOOR

Corbett[®] **Protecto**[™]
(Caring Product - Caring People)

Corbett[®]
interiors

Shiv Hari Plywood Limited

[AN ISO 9001:2008 & ISO 14001:2004 CERTIFIED COMPANY]

About Us

SHIV HARI PLYWOOD LIMITED was established in 1989 at Jaspur, located on the national highway No. 74. With the famous neighbor, Jim Corbett National Park, inspired Shiv Hari Plywood Ltd. to decide philosophy of "Go Green, Go Eco Friendly" and to brand the products as "Corbett." From the modest beginning with the manufacture of Plywood, Block Board & Flush Doors, today, Shiv Hari Plywood Limited is a complete integrated plant having PANEL DIVISION & FURNITURE DIVISION as independent units established 9km. apart, offering products starting from construction i.e. Film Faced Shuttering Plywood to finishing of building with in-house manufactured Modular Furniture.

SHIV HARI PLYWOOD LIMITED has touched millions of lives by strengthening & beautifying houses, offices etc., is the only Indian Company manufacturing Plywood & other allied products, using harvesting timber, selecting the right combination of different species for varied application like interior, exterior or construction, right glue for best bond & for the human safety. It is the prime concern of SHPL, since its inception.

Shiv Hari Plywood Ltd. as **1st** in India



- Installed "State of Art Technology" pneumatically controlled self-designed & developed, Peeling machine for small girth logs obtained from Social sustainable forestry.
- Introduced Lock Rails in Flush Doors.
- Introduced borer resistance plywood tested by Indian Plywood Industries Research & Training Institute (*IPIRTI), an autonomous body of Govt. of India.
- Introduced Termite resistance plywood tested by *IPIRTI, an autonomous body of Govt. of India.
- First to introduce PEFC certified door filler material making the door confirming to Green Building Concept.
- Having the first BIS license for manufacturing Molded Skin Panel Door.
- First authenticated and certified company having minimum level of Formaldehyde emission in product, certified by *IPIRTI, an autonomous body of Govt. of India.
- To meet Occupational Exposure Limits (OELs) For Formaldehyde in its manufacturing plant within International Standards certified by *IPIRTI, an autonomous body of Govt. of India.
- Installed Double Head sanding & calibration machine with segmented pads.
- Introduced MR PLUS panel products those stand * 3 Hrs. Water Boiling* instead of 65 degree centigrade water immersion test.

Started foundation work as Pvt. Ltd. Co.	1988	MR & BWR Grade Plywood & Block Board Rolled out.
Introduced Flush Doors.	1990	
Received ISI Mark for BWR Plywood Flush Door & Block Board.	1994	Installed "State of the Art Technology" pneumatically controlled automatic peeling machine, first of its kind in India.
Went Public as Shiv Hari Plywood Limited.	1996	Put up our own Face Veneer unit.
Opened Lucknow, Mumbai and Delhi Offices.	1998	Opened Bangalore Office.
Introduced Triple stage treatment against Termite & Borer and got successfully tested by IPIRTI, Bangalore.	2000	Introduced Designers Doors & Panel Doors.
Introduced Corbett Creation "A Plywood with 5 years warranty" against Borer, termite and de-lamination.	2002	Introduced Molded Panel Doors in collaboration with Masonite International Corporation, USA.
Introduced Lead Sandwiched Flush Doors.	2005	
Introduced Pre-Fab Engineered panel Doors.	2006	Introduced Solid Wood Panel Doors & Windows. Modular Kitchen, Beds & Wardrobes. Office Furniture/Work stations. Partition panels.
Introduced Fire check Doors.	2008	
Introduced Pre-Fab engineered raised panel doors.	2010	
Introduced MR Plus panel products.	2011	
Factory Occupational Exposure limits for formaldehyde meets E2 standard.	2012	




Social & Environmental Responsibility

Shiv Hari Plywood Ltd. always believes strongly towards social & Environmental Responsibility from the very beginning. So, the company has delivered the same by following below mentioned means:



- The Company is first to install self-designed low girth Peeling Machine for using short cycle timber from social forestry / Plantation timber which inspires Farmers to cultivate fast growing trees like poplar, eucalyptus etc. which helps in saving forest timber in India.
- The Company provides technical supports to Farmers to get better Yield & Quality of plantation trees & purchase their produce to uplift their financial status.
- The Company is first to have Occupational Exposure Limits (OELs) for formaldehyde in its manufacturing facility much below the limit set by the various European Countries, Graphical chart is attached, which make our plant one of the safest for the workers in the country.




Safe for Your Family

All of Corbett products follow the International Formaldehyde emission standards to make the products safe for Children / Residents living or working in houses / offices that shows the company's commitment towards safety of human life.

Many of us may not be knowing that the Formaldehyde, the basic chemical is part of our life and the life line of plywood manufacturing but though we can't live without it, still it can be dangerous for our life and causes the following illness*:

- Eye, nose and throat irritation: possible eye damage
- Coughing: Chest tightness: wheezing & asthma
- Fatigue: Skin rash/hives
- Nausea/vomiting
- Nosebleed, Headache, Dizziness
- Nasal Cancer
- Reduce fertility, short term miscarriage, spontaneous abortions
- Birth defects and fetal abnormalities

*These are the studies of Consumer product safety commission of US and the reference of official publication of the research and education department. The Champion Company., Springfield OH 45501)





FIRST TIME IN INDIA



Pre-fab Engineered Designer Door Series

- Burglar resistance.
- No carpentry Joint.
- No splitting of joints/cracking.
- Size flexibility upto 1220 mm width & 2440 mm height.
- You imagine, and we create the same design.
- Suitable for main entrance as well as internal doors.

Corbett
DOOR® that endures...





Pre-fab Engineered Door Series



Corbett Pre- Fab Engineered Door Sizes

Thickness	Width (mm)	Height (mm)
35	650-1220	1980-2440
40	650-1220	1980-2440
45	650-1220	1980-2440


Other sizes on request.


Pre-Fab Engineered panel Doors are factory made, 100% water proof and are available in various standard sizes and decor, laminated with natural and re-constituted veneer.



strength of a flush door,
decor of a panel door...
at a price
unbelievably low, in it's class.

IMAGINATION
UNLIMITED





where beauty and strength merge together

Corbett Molded Panel Doors are the India's first ISI certified doors having License No. CM/L 9465392. Molded Panel doors are the doors for future for all housing projects.

These are available in many design and the new design are introduced from time to time in line with the design developed by the associates.

Molded Panel Door 2/3/4/6 Panel Series



2 Panel Horizon Texture Doors



2 Panel Arch Top Texture Doors



3 Panel Oval Texture Doors



3 Panel Texture Doors



2 Panel Arch Top Texture Doors



4 Panel Arch Top Texture Doors



6 Panel Texture Doors

Design & Door Dimension 7 feet


Design	Width (mm)	Height (mm)
2 PAT	650-1060	2000-2150
2 PHT	650-1060	2000-2150
3 PT	620-924	2000-2150
4 PAT	650-1060	2000-2150
6PT	650-1060	2000-2150



Designer Flush Doors

Interior Doors

Wood Veneered Flush Doors provide a stylish wood appearance with an upscale European edge design. It's this attention to detail that sets our Doors apart from our competition. When combined with our overall capabilities, product quality and extra standard features, it makes our Flush Doors, the obvious choice for your door needs.



- Paintable Flush Door
- Decorative Flush Door
- Flat Skin Designer Flush Door
- Designer Flush Door
- High Pressure Laminated Flush Door



Splendid interiors with the beauty and refinement of natural wood. Corbett offers many types of flush doors to complement any interior.

The flush door looks very beautiful and special after installation with the matching or contrast frame.

Besides, it is strong, it gives greater and lasting protection. Corbett has Paintable, Decorative & Laminated flush doors to meet varying individual needs.

- The wood is given preservative treatment for termite, fungus and other Microorganism.
- The doors are provided with extra lock rail.

Corbett Flush Door Sizes

Thickness	Width (mm)	Height (mm)
30	650-1220	1950-2440
35	650-1220	1950-2440
40	650-1220	1950-2440
45	650-1220	1950-2440

Other sizes on request.



Glass Panel Door Series

Interior Doors

We offer beautiful and elegant looking Glass Doors in combination with various patterns of panels. These are available in a wide range of colors, polishes and finishes to match your interiors. Glass Doors can also be customised as per customer's individual requirements.

These Glass Doors give an impressive look to the room and help enhance the interiors of the house.






Corbett Stone Wood Fire Resistant Doors FD 60 & FD 120



Salient Feature :-

- Fire Resistance rating for 60mm / 120mm with respect to stability, integrity and thermal insulation.
- Wooden fire door manufactured from PROMAT Technology that requires least maintenance.
- Thus, the PROMAT Technology fire door's life is double than the normal fire door.
- One hrs. and two hrs. fire rating tested as per BS 476 pt. 20 at BIS 622 & IS : 3614.
- Tested as a complete system, NOT for product alone along with all the Ironmongery into position.
- Tested as per National and International norms and standards like IS, BS, AS, ASTM and DIN standard.
- Intumescent strip to seal & protect the edges.
- FD 60 is 42mm thick (44mm with Laminate) and FD 120 is 55mm thick.
- Medium density suitable wood is used for door frame & shutter frame.



Corbett Plywood

Shiv Hari Plywood Ltd. manufactures various types of high value plywoods which are suitable for different uses. The Company follows the principle to give every feature required for tension free, long lasting and environment safe products without giving any fancy name to the features used. Corbett products always last "Generation after Generation".



MR Grade Plywood

Corbett MR Grade plywood withstands 65° centigrade cyclic test suitable for interior uses.

Applications : Furniture, Wall Paneling, Partitions, Ceilings and Decorations.

MR Plus Grade Plywood

Shiv Hari Plywood Ltd. introduces first time in India, plywood which withstand 3 hrs. boiling water cyclic test. This plywood is suitable for those, who do not compromise on quality at any cost. This plywood is a result of our R&D team whose endeavors to always give a better product for human life.

Applications : For interior use and for the area where condition of environment is always changing like going to heavy humid to very dry to heavy humid.

BWR Grade Plywood

Corbett BWR Plywood is a product for exterior use and for the area where humidity or use of water is more. Corbett BWR plywood is weather proof which can withstand boiling water cyclic test for 8 hrs.

Applications : Kitchen Cabinet, Speaker Cabinet, Grain Silos, Exhaust Pipes, False Ceilings, Light Construction Works.

BWR / MR GRADE PLYWOOD

SPECIFICATION

STANDARD SIZES, MM

2440 x 1220, 2440 x 920

2140 x 1220, 2140 x 920

1840 x 1220, 1840 x 920

THICKNESS MM

3.5 / 5 / 6 / 8 / 9 / 12 / 15 / 16 / 18 / 19

BIS LICENSES

IS 303:1989	-	BWR / MR Plywood
IS 4990 : 1991	-	Film Faced Plywood
IS 1328 : 1996	-	Decorative Plywood
IS 1659 : 1990	-	Block Board
IS 15380 : 2003	-	Molded Panel Door
IS 2202 : 1991	-	Flush Door

Film Faced Plywood

Film Faced Plywood is BWR grade plywood treated with preservatives mainly used for concrete purpose. Manufactured with select hardwood, it withstands the loads and forces encountered during the pouring of concrete and vibrations.

Applications : Construction, Repair and Maintenance of Buildings, Bridges, Beams, Fly-overs, Vehicle Bodies, Roofing.

Decorative Plywood

Decorative plywood is pressed on calibrated double pressed plywood with BWR glue /Glue film to make the decorative plywood full BWR & smooth finish. Shiv Hari Plywood Ltd. provides vast range of decorative veneer like Teak, Walnut, Oak, Sapelli, White Ash etc.

Applications : Furniture, Wall Paneling, Partitions, Decoration

Laminated Plywood


Manual HPL lamination on fabricated components of Plywood/Block Board is not only time taking but also expensive. The manual lamination do not form the perfect bond due to uneven pressure and base product thickness is also not uniform and it is done by PVA Glue, therefore life of laminated components is poor. It starts opening up in a short period of time due to variation in weather condition like atmospheric humidity and temperature etc.

Shiv Hari Plywood Ltd. offers laminated plywood which is long lasting and economical. Corbett calibrated base Plywood/Block Board is pressed in two cycles for lamination to give even thickness. HPL is pressed with a special glue in most modern European Press to give weather resistance properties. One has to design, cut to size, screw, seal the edges and forget the rest for long time.

Fire Retardant Plywood

Corbett Fire Retardant Plywood does not encourage spreading of flames and has the quality to retain strength for some time, even during fire. It is made in BWP grade. Vacuum treatment is given using suitable chemicals such as diammonium hydrogen phosphate as prescribed in the IS specification.

Applications : Ship-building, Railway Coaches, Vehicle Bodies, Kitchen Partitions, Multiplexes and in Exhibition Stalls.




Plywood



Film Faced Plywood



Laminated Plywood



Decorative Plywood

FILM FACED PLYWOOD	
SPECIFICATION	
STANDARD SIZES, MM :	2440 x 1220
THICKNESS, MM :	9 / 12 / 15
SURFACE :	Phenolic Film
COLOUR :	Brick Red, Black, Brown

LAMINATED PLYWOOD	
SPECIFICATION	
STANDARD SIZES, MM :	2440 x 1220
THICKNESS MM :	6 / 12 / 15 / 18
SURFACE:	HPL Laminate in 0.6/0.8mm
HPL COLOUR :	Almond yellow, off white, steel gray, white. Special colour & design on request.

DECORATIVE PLYWOOD
SPECIFICATION
STANDARD SIZES, MM :
2440 x 1220, 2440 x 920
2140 x 1220, 2140 x 920
1840 x 1220, 1840 x 920
THICKNESS MM : 3.5 / 6 /12
FACING : Teak, Oak, Walnut, Wenge
One side / Both side
(as per the need of the customer)
BWR : Improved Synthetic Phenol
Formaldehyde Resin (8 hours cyclic
boiling test with no-delamination)



Corbett Block Board

MR Grade Block Board

Corbett MR Grade Block Board is manufactured from the combination of season durable wood and veneers. These are bonded with melamine fortified resins specially developed for Block Board.

Applications : Furniture, Partitions, Racks /Shelves, Shutters, Under layer for Decorative Laminates, Boxes, Beds, Cupboards, Exhibition Stall, Table Tops, Kitchen Cabinets, Wardrobe, Wall Paneling.

MR Plus Grade Block Board

Like plywood Shiv Hari Plywood Ltd. also introduce MR Plus Block Board which withstand 3 hrs boiling water cyclic test.

Application : For interior use and for the area where condition of environment is always changing like going to heavy humid to very dry to heavy humid.

BWP Block Board

Corbett Block Board is bonded with a high quality in house develop special resin, pressed at a required temperature and pressure to ensure optimum strength and durability.

Applications : Kitchen Cabinet, Speaker Cabinet, Grain Silos, Exhaust Pipes, False Ceilings, Light Construction Works.

TOLERANCE : (mm)
Length : +6 - 0
Width : +3 - 0
Thickness : \pm 5%
Squareness : 0.2%

SPECIFICATION
STANDARD SIZES, MM :
2440 x 1220, 2440 x 920
2140 x 1220, 2140 x 920
THICKNESS MM : 19 /25
CONSTRUCTION :
Single Core- Calibration



Decorative Block Board

Corbett decorative block board are manufactured by laying high thickness decorative veneers on MR Plus and BWR calibrated Block Board. Decorative veneers are pressed with specially developed colourless glue for block Boards.

Applications : Wall Paneling, Kitchen Paneling, Speaker Cabinets, Tabletops, Partition Walls, Cupboards & Wardrobes, Ceilings, Furniture.

Laminated Block Board

Laminated Block board is combination of BWP Grade Block Board and high pressure laminate. These are made as given in plywood section.

Salient Features

- Proper selection of peelable wood for the perfect veneer from most modern and pneumatically controlled machine.
- Preservative treatment as per IS 410 : 1982 for core timber, each veneer and glue poisoning to make it resistant to any type of wood destroying organism like termite, white ants, fungus and / or other micro organism.
- Stress relieving and preservative treatment after hot pressing to make it more durable.
- In house testing as per IS 1734 (Part - I-20-1983)
- Conform to European Lowest Formaldehyde Emission Standard.
- Surface finish from wide belt calibrating and sanding machine.



Wide Belt Calibrating & Sanding Machine



Kitchen Series

We offer a wide variety of Modular Kitchen with different features, style and colours. A comprehensive range of Modular Kitchen have been designed and developed by us using the finest quality of raw material to meet the requirements of our most valued customers. We are empowered with the most advanced infrastructural facilities and experience to manufacture versatile and dependable range of Modular Kitchen.





Bedroom Series

We have distinguished ourselves amongst the most preferred manufacturers and suppliers of Modular Home and Office Furniture in India. Our range of Home Furniture includes Beds, Wardrobes, Side Tables and Chest of Drawers to name a few. We implement stringent quality control procedures to ensure our products meet international quality standards in terms of finish and functionality.




Our Valuable Customers






AIG Infra	Gardenia	Northern Railway-Moradabad
Ambedkar Udyan	G-Corp, Bangalore	NTPC Housing Society
American Embassy	GD Builder	Omaxe Ltd.
Anant Raj Group	Genetic Construction Ltd	Oxy Homes -Ghaziabad
Ansal Build Well	Gillco Developers	PAN Realtor
Ansal Housing	Hayat Hospital-Lucknow	Paramount
Ashiana	Hector Builder and Promoters	Parsvnath Developers
Assotech Reality Pvt. Ltd.	High Court- Lucknow	Progressive
ATS- Group	Hotel Deep Awadh	Purvanchal Builders
Auditorium of G.S.I.-Lucknow	Hotel Grand Hyatt	Radha Govind Engineering College
Babu Banarsi Das Engg. College-Lucknow	Hotel Oberoi	Ram Manohar Lohia Hospital
Bajaj Scooters (All Workshops in U.P.)	Hotel Radisson	Ram Swarup Engg. College
Bank of India -(Many Branches)	I.A.S. & P.C.S Training Institute - Agra	Reliance
BCC Group	I.T.I -Mankapur	S.G.P.G.I Sanjay Gandhi P.G.I - Lucknow
Bestech India Ltd.	Indian Oil	SAHA Group
Bharat Sanchar Nigam Ltd.-(Many Project)	Indian Overseas Bank - (Many Branches)	Sahara Estates
Bhartiya Janta Party - HQ	Jaypee Group	Sahara India
BHEL Housing Society	JM Housing	Sahara India-Hyderabad & Lucknow
BPTP	Judges Quarters-Barabanki	Sardar Patel Institute - Lucknow
Brigade Group	K.G. Medical University -Lucknow	Saviour
C.D.R.I-Lucknow	KDP Infra	Scientific Convention Centre
C.I.M.A.P-Lucknow	Krishi Gramin Bank	Signature Towers
C.R.P.F Flats-Lucknow	L&T Lucknow	Simplex - West Bengal
Canara Bank -(Many Branches)	L I C (All Branches)	Skyline - West Bengal
Chief Engineer office-CPWD	Lucknow University	SVP Group
Corporation Bank -(Many Branches)	M.E.S Lucknow	U.P. Samaj Kalyan Nigam
CPWD - Mussoorie	Manchanda & Manchanda	Union Bank
DLF	Meerut Institute of Engineering & Technology	Unitech Ltd.
Director of Pashupalan -Lucknow	Mohan Homeopathic College - Lucknow	Wave Infra
Doordarshan	N.T.P.C.-Tanda	Z-Estate Bhuvaneshwar
Eearthcon Group	Nagarjuna Construction Company	
Eldeco Infrastructure & Properties Ltd.	NCC (Nagarjuna)	
Era Medical College & Hospital-Lucknow	NG Construction	
Eros Group	Niko Hotels	
Exotica	Noida Institute of Engg. & Tech.- Gr. Noida	

*and many more...

Certifications & Recognitions



- Termite Resistance Test
- Borer Resistance Test
- Formaldehyde Emission Test
- BIS Certification



INDIA'S FIRST

IS : 15380



CM/L:9465392

MOLDED PANEL DOOR



The mark of
responsible forestry



Door ● Interior
Plywood ● Block Board

Corbett®

Innovative. Always.

Turning wood into
what you need !

SHIV HARI PLYWOOD LTD.

(An ISO 9001 : 2008 & ISO 14001 : 2004 Certified Company) FSC Certificate Holder

Kashipur Road, JASPUR- 244712, Uttarakhand. (INDIA)

Ph.: +91-5947-222011, 222324, Fax : +91-5947-222224

E-mail : shplho@corbettply.net

Registered Office : 101, Shyam Chamber, 2943/3 (First Floor)

Chuna Mandi, Paharganj, New Delhi- 110055.

Ph.: +91-11-23581768, Fax : +91-11-23582522

Visit us at : www.corbettply.com

Customer Care : +91-9654121314

- DOOR
- PLYWOOD
- BLOCK BOARD
- CONSTRUCTION PLYWOOD
- MODULAR KITCHEN
- WARDROBES/DRESSER
- BEDS
- OFFICE FURNITURE

BRANCHES :

M.P & Chattisgarh	:	09927099435, shplbpl@corbettply.net
Delhi Project	:	08527788440, sales@corbettply.net
Delhi Retail	:	08527788337, shplnscr@corbettply.net
Maharashtra	:	09822344560, shplnashik@corbettply.net
Uttarakhand	:	09927018052, shpluk@corbettply.net
Rajasthan	:	09927099435, shplraj@corbettply.net

Uttar Pradesh

Lucknow Zone	:	07755000166
Agra Zone	:	07755000161
Kanpur & Bareilly Zone	:	07755000165
Varanasi & Gorakhpur Zone	:	07754869888
Meerut Zone	:	09927018052
E-mail ID for all U.P.	:	shplko@corbettply.net